

# Media and Laminate Compatibility Chart NovaJet 1000i Printer

Media Compatibility		Laminate Compatibility	
<p>★ Recommended for all applications</p> <p>● Recommended for all applications when laminated</p> <p>○ Not recommended</p>		<p>TA Heat-Activated Thermal Laminate</p> <p>LT Low-Temperature, Heat-Activated Laminate</p> <p>HA Heat-Assisted Laminate</p> <p>PS Pressure-Sensitive Laminate</p> <p>LQ Liquid Laminate</p>	
Magellan Wide Format Inkjet Media		Dye	Pigment
Photographic Papers	<p><b>791 Satin Microporous Photobase</b> High opaque, satin, instant-dry, 8 mil media with a special back coat to assure a flat sheet during printing, finishing and mounting. The image side has two inkjet coatings to control dot gain and ease of laminating.</p>	● TA, LT, HA, PS	● TA, LT, HA, PS
	<p><b>790 Glossy Microporous Photobase</b> High opaque, glossy, instant-dry, 8 mil media with a special back coat to assure a flat sheet during printing, finishing and mounting. The image side has two inkjet coatings to control dot gain and ease of laminating.</p>	● TA, LT, HA, PS	● TA, LT, HA, PS
	<p><b>785 Universal Satin</b> 8 mil, highly opaque, photographic media. A quick-dry, high quality, front and back resin-coated media, designed to handle heavy ink loads. Excellent color saturation for thermal and piezo printers using dye or pigment inks without bleeding or rub off.</p>	★ TA, LT, HA, PS	★ TA, LT, HA, PS
	<p><b>784 Universal Gloss</b> 8 mil, highly opaque, photographic media. A quick-dry, high quality, front and back resin-coated media, designed to handle heavy ink loads. Excellent color saturation for thermal and piezo printers using dye or pigment inks without bleeding or rub off.</p>	★ TA, LT, HA, PS	★ TA, LT, HA, PS
	<p><b>759 Blue Velvet</b> Premium, quick-dry, 8 mil, photo-base media with a special back coat to assure a flat sheet during printing and finishing. Excellent color saturation for both dye and pigment inks without bleed or rub off. Excellent alternative for back-lit film.</p>	★ LT, PS	★ LT, PS
	<p><b>769 Bob Picasso</b> Acid-free, moults-made, fine art paper that is slightly structured and coated on one side and compatible with dye and pigment inks. The combination of a “true watercolor” base paper and superior inkjet coating produces brilliant original art, limited editions, and other output that demand quality and consistency.</p>	★ TA, LT, HA, PS, LQ	★ TA, LT, HA, PS, LQ

## Media and Laminate Compatibility Chart NovaJet 1000i Printer

Magellan Wide Format Inkjet Media		Dye	Pigment
Photographic Film	<b>912 Glossy 8 mil White PolyPro Film</b> 8 mil, bright white, glossy, indoor, polypropylene film designed for thermal inkjet printers using dye or pigment inks.	★ PS	⊘
	<b>914 Satin 8 mil White PolyPro Film</b> 8 mil, bright white, glossy, indoor, polypropylene film designed for thermal inkjet printers using dye or pigment inks.	★ PS	⊘
	<b>913 Glossy 8 mil White PolyPro Film with PSA</b> 8 mil, permanent self-adhesive, bright white, polypropylene film. This product is designed for use on thermal inkjet printers using dye and pigment inks.	★ PS	⊘
	<b>915 Satin 8 mil White PolyPro Film PSA</b> 8 mil, permanent self-adhesive, bright white polypropylene film. This product is designed for use on thermal inkjet printers using dye and pigment inks.	★ PS	⊘
	<b>918 7 mil Premium Back-Lit Film</b> 7 mil glossy, polyester, translucent film. 918 provides high quality image and long lasting, photo-realistic displays using dye inks.	★ LT, HA, PS	⊘

**Media Compatibility**

- ★ Recommended for all applications
- Recommended for all applications when laminated
- ⊘ Not recommended

**Laminate Compatibility**

- TA Heat-Activated Thermal Laminate
- LT Low-Temperature, Heat-Activated Laminate
- HA Heat-Assisted Laminate
- PS Pressure-Sensitive Laminate
- LQ Liquid Laminate



# Media and Laminate Compatibility Chart NovaJet 1000i Printer

Media Compatibility		Laminate Compatibility	
★	Recommended for all applications	TA	Heat-Activated Thermal Laminate
●	Recommended for all applications when laminated	LT	Low-Temperature, Heat-Activated Laminate
○	Not recommended	HA	Heat-Assisted Laminate
		PS	Pressure-Sensitive Laminate
		LQ	Liquid Laminate

  

Magellan Wide Format Inkjet Media		Dye	Pigment
Vinyl & Banners	<b>905 Bright White Vinyl PSA</b> Water- and scratch-resistant, bright white, self-adhesive, 11 mil vinyl. The product is a calendared vinyl with a waterproof, white, opaque print surface and a unique permanent pressure-sensitive adhesive that adheres to virtually any surface. It is an excellent choice for a short-term outdoor and long-term indoor-mounted graphics.	● PS	★ PS
	<b>908 W/R 17 mil Blockout Scrim</b> The blockout scrim is comprised of a tear-resistant, polyester fabric embedded between two layers of bright white, scratch-resistant scrim vinyl with a block out layer and a waterproof, matte coating. The product is compatible with thermal and piezo inkjet printers.	● PS	★ PS
	<b>902 Water-Resistant Bright White PolyPro</b> 8 mil, water-resistant, bright white, polypropylene film designed for both piezo and thermal inkjet printers with either dye or pigment inks.	● PS	★ PS
	<b>903 Water-Resistant Bright White PolyPro PSA</b> 8 mil, permanent self-adhesive, bright white, water-resistant, polypropylene film. This universal product is designed for use on piezo and thermal inkjet printers as well as compatible with dye and pigment inks.	● PS	★ PS
	<b>906 Water-Resistant Tyvek Banner</b> A waterproof, 10 mil, tear-resistant banner material with a matte coating. The image side is coated with a universal coating designed to work equally well on piezo and thermal inkjet printers as well as compatible with dye and pigment inks.	● PS	★ PS
	<b>900 Scratch- &amp; Water-Resistant 15 mil Scrim Vinyl</b> An economic, high quality, 15-mil, bright white, tear- and scratch-resistant, scrim vinyl banner with a waterproof matte coating. A tear-resistant polyester fabric is sandwiched between two layers of white vinyl. It is a universal product that is compatible with thermal and piezo inkjet printers and dye or pigment inks	● PS	★ PS

# Media and Laminate Compatibility Chart NovaJet 1000i Printer

Magellan Wide Format Inkjet Media		Dye	Pigment
Canvas	<b>765 Holly Wood Canvas</b> A robust, heavy weight, double-stitch, museum-grade, matte canvas with a water-resistant coating that accepts both dye and pigment inks.	● LQ	★ LQ
	<b>768 Water-Resistant Canvas</b> This fine artist canvas is a robust, heavy weight, double-weave, museum-grade canvas with a matte, water-resistant coating that accepts both dye and pigment inks.	● LQ	★ LQ
	<b>764 Simply Canvas</b> A robust, heavy weight, single-weave, matte, water-resistant canvas that accepts both dye and pigment inks.	● LQ	★ LQ
Cloth	<b>910 Bright White Satin Cloth</b> A water-resistant, bright white, semi-sheer, satin cloth. The image side is a universal coating designed to work equally well on piezo and thermal inkjet printers as well as with dye and pigment inks.	★ LQ	★ LQ

**Media Compatibility**

- ★ Recommended for all applications
- Recommended for all applications when laminated
- Not recommended

**Laminate Compatibility**

- TA Heat-Activated Thermal Laminate
- LT Low-Temperature, Heat-Activated Laminate
- HA Heat-Assisted Laminate
- PS Pressure-Sensitive Laminate
- LQ Liquid Laminate